



东莞福利达塑胶原料商行  
DONGGUAN FULIDA PLASTIC MATERIAL BUSINESS

地址：东莞市樟木头镇塑胶原料市场三期中心城F28号

电话：0769-87799299

传真：0769-87792008

网址：<http://www.fldsjs.com>

电子邮箱：[sales@fldsj.com](mailto:sales@fldsj.com)

## 塑胶原料供应：高耐热低翘曲高流动高光泽热稳定型 耐热老化型尼龙（PA）66

HERAMID® A HS black  
HERAMID® A HSK black  
HERAMID® A RV300 black  
HERAMID® A RV300LK black  
HERAMID® A RV330 100 natural  
HERAMID® A RV330 black  
HERAMID® A RV330LK black  
HiFill FR® PA6/6 CF15 FR BK  
HiFill FR® PA6/6 FR 144  
HiFill FR® PA6/6 FR 344  
HiFill FR® PA6/6 FR 344 BK  
HiFill FR® PA6/6 FR 346 RD  
HiFill FR® PA6/6 FR HS  
HiFill FR® PA6/6 FR HS BK  
HiFill FR® PA6/6 FR HS BK (Cond)  
HiFill FR® PA6/6 FR HS BK (Dry)  
HiFill FR® PA6/6 FR IM  
HiFill FR® PA6/6 FR IM BK  
HiFill FR® PA6/6 FR IM HS BK  
HiFill FR® PA6/6 FR NAT  
HiFill FR® PA6/6 GB30 FR  
HiFill FR® PA6/6 GF10 FR BK  
HiFill FR® PA6/6 GF10 FR HS BK  
HiFill FR® PA6/6 GF13 FR BK  
HiFill FR® PA6/6 GF15 FR BK  
HiFill FR® PA6/6 GF20 FR  
HiFill FR® PA6/6 GF25 FR  
HiFill FR® PA6/6 GF25 FR BK (Cond)  
HiFill FR® PA6/6 GF25 FR BK (Dry)  
HiFill FR® PA6/6 GF25 FR NAT003  
HiFill FR® PA6/6 GF25 FR NAT003 (Cond)  
HiFill FR® PA6/6 GF25 FR NAT003 (Dry)

销售热线：13751212127 张生 工作QQ：179538752 E-MAIL：[sales@fldsj.com](mailto:sales@fldsj.com) 联系电话：0769-87799299

HiFill FR® PA6/6 GF25 FR NAT005  
HiFill FR® PA6/6 GF25 FR-N IM  
HiFill FR® PA6/6 GF25 FR-N IM BK  
HiFill FR® PA6/6 GF25 FR-N IM3  
HiFill FR® PA6/6 GF25 FR-N IM3 BK  
HiFill FR® PA6/6 GF30 FR BK  
HiFill FR® PA6/6 GF30 FR HS L  
HiFill FR® PA6/6 GF30 FR HS2 L  
HiFill FR® PA6/6 GF30 FR NAT  
HiFill FR® PA6/6 GF30 FR-N  
HiFill FR® PA6/6 GF33 FR HS L  
HiFill FR® PA6/6 GF35 FR-N BK  
HiFill FR® PA6/6 GF40 FR HS L  
HiFill FR® PA6/6 GF50 FR BK  
HiFill FR® PA6/6 GF50 FR UV X BK  
HiFill FR® PA6/6 GF50 FR-N BK  
HiFill® PA6 GF5 L  
HiFill® PA6/6 0135 BL069  
HiFill® PA6/6 0137 S2  
HiFill® PA6/6 0146 A  
HiFill® PA6/6 0164 A  
HiFill® PA6/6 0177  
HiFill® PA6/6 0177 B  
HiFill® PA6/6 0190  
HiFill® PA6/6 0249 B  
HiFill® PA6/6 CC20  
HiFill® PA6/6 CM16 HS BK  
HiFill® PA6/6 CM25 HS BK  
HiFill® PA6/6 CM30 L  
HiFill® PA6/6 CM40  
HiFill® PA6/6 CM40 6122 BK  
HiFill® PA6/6 E GF33 LE  
HiFill® PA6/6 E4 A1  
HiFill® PA6/6 E4 HS MB  
HiFill® PA6/6 E4 IM  
HiFill® PA6/6 G/CF20 IM HS BK  
HiFill® PA6/6 G/CF30 L BK  
HiFill® PA6/6 GB10 L  
HiFill® PA6/6 GB15  
HiFill® PA6/6 GB20 L BK  
HiFill® PA6/6 GB25 L BK  
HiFill® PA6/6 GB30 L  
HiFill® PA6/6 GB36 IM1  
HiFill® PA6/6 GB40 BK  
HiFill® PA6/6 GB40 HS BK  
HiFill® PA6/6 GF 20 L BK

HiFill® PA6/6 GF/B30 A1  
HiFill® PA6/6 GF/B40 L  
HiFill® PA6/6 GF/M15 HS L BK  
HiFill® PA6/6 GF/M19 HS BK  
HiFill® PA6/6 GF/M20 IM BK  
HiFill® PA6/6 GF/M25 HS L BK  
HiFill® PA6/6 GF/M30 HS BK  
HiFill® PA6/6 GF/M35 HS BK  
HiFill® PA6/6 GF/M36 HS BK  
HiFill® PA6/6 GF/M38 HS  
HiFill® PA6/6 GF/M38 HS BK  
HiFill® PA6/6 GF/M40 B1 BK  
HiFill® PA6/6 GF/M40 HS L BK  
HiFill® PA6/6 GF/M40 HS L NAT  
HiFill® PA6/6 GF/M40 HS UV BK  
HiFill® PA6/6 GF/M40 IG BK  
HiFill® PA6/6 GF/M40 ML2 GY  
HiFill® PA6/6 GF10 IM L BK  
HiFill® PA6/6 GF10 L  
HiFill® PA6/6 GF10 L BK  
HiFill® PA6/6 GF10 TL10 BK  
HiFill® PA6/6 GF12 TL20  
HiFill® PA6/6 GF13 HS L BK  
HiFill® PA6/6 GF13 L  
HiFill® PA6/6 GF13 L YAG  
HiFill® PA6/6 GF13 TL10  
HiFill® PA6/6 GF13 X BK  
HiFill® PA6/6 GF14 HS L BK  
HiFill® PA6/6 GF15 L  
HiFill® PA6/6 GF15 TL5  
HiFill® PA6/6 GF18 FR BK  
HiFill® PA6/6 GF20 HS BK  
HiFill® PA6/6 GF20 HS L  
HiFill® PA6/6 GF20 HS L BK  
HiFill® PA6/6 GF20 L  
HiFill® PA6/6 GF20 SL4 HS BK  
HiFill® PA6/6 GF20 TL10  
HiFill® PA6/6 GF25 HS L  
HiFill® PA6/6 GF25 HS L BK  
HiFill® PA6/6 GF25 L BK  
HiFill® PA6/6 GF27 SL2  
HiFill® PA6/6 GF30 HR HS BK  
HiFill® PA6/6 GF30 HR L  
HiFill® PA6/6 GF30 HS L  
HiFill® PA6/6 GF30 HS L BK  
HiFill® PA6/6 GF30 L

HiFill® PA6/6 GF30 LE  
HiFill® PA6/6 GF30 RM-1 L  
HiFill® PA6/6 GF33  
HiFill® PA6/6 GF33 5105 BK  
HiFill® PA6/6 GF33 BK (Cond)  
HiFill® PA6/6 GF33 BK (Dry)  
HiFill® PA6/6 GF33 BK024 (Cond)  
HiFill® PA6/6 GF33 BK024 (Dry)  
HiFill® PA6/6 GF33 HR HS BK  
HiFill® PA6/6 GF33 HR L  
HiFill® PA6/6 GF33 HS L  
HiFill® PA6/6 GF33 HS L BK (Cond)  
HiFill® PA6/6 GF33 HS L BK (Dry)  
HiFill® PA6/6 GF33 HS L BK001  
HiFill® PA6/6 GF33 HS L GY  
HiFill® PA6/6 GF33 L  
HiFill® PA6/6 GF33 L BKN001 (Cond)  
HiFill® PA6/6 GF33 L BKN001 (Dry)  
HiFill® PA6/6 GF33 L UV  
HiFill® PA6/6 GF33 LE  
HiFill® PA6/6 GF33 LE BK  
HiFill® PA6/6 GF33 NAT001  
HiFill® PA6/6 GF33 NAT001 Y (Cond)  
HiFill® PA6/6 GF33 NAT001 Y (Dry)  
HiFill® PA6/6 GF33 RM L  
HiFill® PA6/6 GF33 SF L  
HiFill® PA6/6 GF33 SL5  
HiFill® PA6/6 GF33 UG BK  
HiFill® PA6/6 GF35 HS L  
HiFill® PA6/6 GF35 L UV (Cond)  
HiFill® PA6/6 GF35 L UV (Dry)  
HiFill® PA6/6 GF40 HS L  
HiFill® PA6/6 GF40 HS L BK  
HiFill® PA6/6 GF40 L  
HiFill® PA6/6 GF40 UV L BK  
HiFill® PA6/6 GF43 HS L BK001  
HiFill® PA6/6 GF43 L BK  
HiFill® PA6/6 GF43 L BKN001  
HiFill® PA6/6 GF43 LE BK  
HiFill® PA6/6 GF45 L BK  
HiFill® PA6/6 GF45 TL10  
HiFill® PA6/6 GF5 HS L  
HiFill® PA6/6 GF5 L BK  
HiFill® PA6/6 GF50 HS L (Cond)  
HiFill® PA6/6 GF50 HS L (Dry)  
HiFill® PA6/6 GF50 HS L BK (Cond)

HiFill® PA6/6 GF50 HS L BK (Dry)  
HiFill® PA6/6 GF50 L BK (Cond)  
HiFill® PA6/6 GF50 L BK (Dry)  
HiFill® PA6/6 GF50 L UV (Cond)  
HiFill® PA6/6 GF50 L UV (Dry)  
HiFill® PA6/6 GF50 X  
HiFill® PA6/6 GF50 X BK  
HiFill® PA6/6 GF55 HS L  
HiFill® PA6/6 GF55 HS L BK  
HiFill® PA6/6 GF55 L BK  
HiFill® PA6/6 GF57 HS L OR016  
HiFill® PA6/6 GF6 HS BK  
HiFill® PA6/6 GF6 L BK  
HiFill® PA6/6 GF60 HS L  
HiFill® PA6/6 GF60 HS L BK  
HiFill® PA6/6 GF60 HS UV BK  
HiFill® PA6/6 GF60 IM HS L (Cond)  
HiFill® PA6/6 GF60 IM HS L (Dry)  
HiFill® PA6/6 GF60 L BK  
HiFill® PA6/6 GF60 TL10  
HiFill® PA6/6 GF60 X (Cond)  
HiFill® PA6/6 GF7 L  
HiFill® PA6/6 GF70 HS L BK  
HiFill® PA6/6 GF8 IM4 HS L  
HiFill® PA6/6 GFB20  
HiFill® PA6/6 HS MB  
HiFill® PA6/6 HS N MB  
HiFill® PA6/6 L N MB  
HiFill® PA6/6 LGF50 HS L BK 12mm  
HiFill® PA6/6 LGF60 HS L BK 12mm  
HiFill® PA6/6 LGF60 HS L UV 12mm  
HiFill® PA6/6 NAT  
HiFill® PA6/6 WM40 IM HS  
Hiloy® 621  
Hiloy® 622  
Hiloy® 623  
Hiloy® 624  
Hiloy® 625  
Hiloy® 626  
Hiloy® 627  
Hiloy® 628  
Hiloy® 629  
Hiloy® 630  
Hiloy® 631  
Hiloy® 632  
Hiloy® 633

Hiloy® 634  
Hiloy® 636  
Hiloy® 637  
Hiloy® 638  
Hiloy® 653  
Hiloy® 656  
Hiloy® 657  
Hydlar Z  
Hylon® N1000 (Cond)  
Hylon® N1000 (Dry)  
Hylon® N1000EHL (Cond)  
Hylon® N1000EHL (Dry)  
Hylon® N1000EL (Cond)  
Hylon® N1000EL (Dry)  
Hylon® N1000HL (Cond)  
Hylon® N1000HL (Dry)  
Hylon® N1000L2 (Dry)  
Hylon® N1000MD5L  
Hylon® N1000MDHL  
Hylon® N1000MDL  
Hylon® N1000NL (Cond)  
Hylon® N1000NL (Dry)  
Hylon® N1000NL2 (Cond)  
Hylon® N1000NL2 (Dry)  
Hylon® N1000STHL (Cond)  
Hylon® N1000STHL (Dry)  
Hylon® N1000STHL HF (Dry)  
Hylon® N1000STHL UV2 (Cond)  
Hylon® N1000STHL UV2 (Dry)  
Hylon® N1000STHLUV2 HF (Dry)  
Hylon® N1000STL (Cond)  
Hylon® N1000STL (Dry)  
Hylon® N1000STL HF (Dry)  
Hylon® N1000THL (Cond)  
Hylon® N1000THL (Dry)  
Hylon® N1000THL HF (Dry)  
Hylon® N1000THLUV2 (Cond)  
Hylon® N1000THLUV2 (Dry)  
Hylon® N1000TL (Cond)  
Hylon® N1000TL (Dry)  
Hylon® N1000TL HF (Dry)  
Hylon® N1013HL (Cond)  
Hylon® N1013HL (Dry)  
Hylon® N1013HLUV2 (Cond)  
Hylon® N1013HLUV2 (Dry)  
Hylon® N1013L (Cond)

Hylon® N1013L (Dry)  
Hylon® N1013STHL (Cond)  
Hylon® N1013STHL (Dry)  
Hylon® N1013STL (Cond)  
Hylon® N1013STL (Dry)  
Hylon® N1013THL (Cond)  
Hylon® N1013THL (Dry)  
Hylon® N1013TL (Cond)  
Hylon® N1013TL (Dry)  
Hylon® N1015HL BK  
Hylon® N1017HL BK  
Hylon® N1020HL  
Hylon® N1020HL BK  
Hylon® N1020MHL  
Hylon® N1025HL  
Hylon® N1025HLFR (Cond)  
Hylon® N1025HLFR (Dry)  
Hylon® N1030MHL  
Hylon® N1033EL BK002 (Cond)  
Hylon® N1033EL BK002 (Dry)  
Hylon® N1033HL (Cond)  
Hylon® N1033HL (Dry)  
Hylon® N1033L (Cond)  
Hylon® N1033L (Dry)  
Hylon® N1033STHL (Cond)  
Hylon® N1033STHL (Dry)  
Hylon® N1033STL (Cond)  
Hylon® N1033STL (Dry)  
Hylon® N1033THL (Cond)  
Hylon® N1033THL (Dry)  
Hylon® N1033TL (Cond)  
Hylon® N1033TL (Dry)  
Hylon® N1035HHR (Dry)  
Hylon® N1040MGHL (Cond)  
Hylon® N1040MGHL (Dry)  
Hylon® N1040MGL (Cond)  
Hylon® N1040MGL (Dry)  
Hylon® N1040MHL (Cond)  
Hylon® N1040MHL (Dry)  
Hylon® N1040ML (Cond)  
Hylon® N1040ML (Dry)  
Hylon® N1043HL (Cond)  
Hylon® N1043HL (Dry)  
Hylon® N1043L (Cond)  
Hylon® N1043L (Dry)  
Hylon® N1200HL BK

Hylon® N1200STHL BK  
Hylon® N1200THL BK  
Hylon® N1213HL BK  
Hylon® N1233HL BK  
Hylon® N1240MGHL BK  
Hylon® N1240MHL BK  
Jackdaw Nylon AB16  
Jackdaw Nylon AB18  
Jackdaw Nylon AF10667  
Jackdaw Nylon AG16662  
Jackdaw Nylon AH18  
Jackdaw Nylon AI14  
Jackdaw Nylon AK40  
Jackdaw Nylon AL38  
Jackdaw Nylon AR36  
Jackdaw Nylon AR38  
Jackdaw Nylon AS10  
Jamplast JP70G33  
Juner PA66-201-G10  
Juner PA66-201-G15  
Juner PA66-201-G20  
Juner PA66-201-G30  
Juner PA66-201-T  
Juner PA66-301-G10  
Juner PA66-301-G20  
Juner PA66-301-G25  
Juner PA66-301-GM40  
Juner PA66-301-HG30  
Juner PA66-301-M30  
Juner PA-A7-1  
Kelon® A FR H CET/35-V2  
Kelon® A FR H2 CETG/300-V0  
Kelon® A H CEG/40  
Kepamid® 2300MR  
Kepamid® 2300MRH  
Kepamid® 2300SA  
Kepamid® 2300SE  
Kepamid® 2300SF  
Kepamid® 2300ST  
Kepamid® 2300SU  
Kepamid® 2300VT  
Kepamid® 2313GFS  
Kepamid® 2315GF  
Kepamid® 2315GVS  
Kepamid® 2320GF  
Kepamid® 2325GF

销售热线: 13751212127 张生 工作 QQ: 179538752 E-MAIL: [sales@fldsj.com](mailto:sales@fldsj.com) 联系电话: 0769-87799299



Kepamid® 2325GFH  
Kepamid® 2325GFS  
Kepamid® 2325GVS  
Kepamid® 2330GF  
Kepamid® 2330GFH  
Kepamid® 2330GFS  
Kepamid® 2333GF  
Kepamid® 2333GFH  
Kepamid® 2335GF  
Kepamid® 2340GF  
Kepamid® 2340GM3  
Kepamid® 2340GM7  
Kepamid® 2340GM8  
Kepamid® 2340M8  
Kepamid® 2345GF  
Kepex® 3300SC  
Kern PA 6 GF35 V0 (Cond)  
Kern PA 6 GF35 V0 (Dry)  
Kern PA 66 (Cond)  
Kern PA 66 (Dry)  
Kern PA 66 CF20 (Cond)  
Kern PA 66 CF20 (Dry)  
Kern PA 66 E (Cond)  
Kern PA 66 E (Dry)  
Kern PA 66 GF25 (Cond)  
Kern PA 66 GF25 (Dry)  
Kern PA 66 GF25 V0 (Cond)  
Kern PA 66 GF25 V0 (Dry)  
Kern PA 66 GF35 (Cond)  
Kern PA 66 GF35 (Dry)  
Kern PA 66 GF40 LFT (Cond)  
Kern PA 66 GF40 LFT (Dry)  
Kern PA 66 GF50 (Cond)  
Kern PA 66 GF50 (Dry)  
Kern PA 66 H (Cond)  
Kern PA 66 H (Dry)  
Kern PA 66 PE (Cond)  
Kern PA 66 PE (Dry)  
Kingfa PA66-C111  
Kingfa PA66-G15  
Kingfa PA66-G30  
Kingfa PA66-G50  
Kingfa PA66-R0N  
Kingfa PA66-RG001  
Kingfa PA66-RG201  
Kingfa PA66-RG301

Kingfa PA66-ROW  
Kingfa PA66-T15  
KOPA® KN331  
KOPA® KN3311  
KOPA® KN3311N  
KOPA® KN331F  
KOPA® KN3321G15VO  
KOPA® KN3321VO  
KOPA® KN3322G30VO  
KOPA® KN3322VO  
KOPA® KN333  
KOPA® KN333C15  
KOPA® KN333C5  
KOPA® KN333G15  
KOPA® KN333G15HI  
KOPA® KN333G20  
KOPA® KN333G30  
KOPA® KN333G30HI  
KOPA® KN333G30HI3  
KOPA® KN333G30V0  
KOPA® KN333G33BL  
KOPA® KN333G33CR  
KOPA® KN333G50  
KOPA® KN333HB  
KOPA® KN333HB440BL  
KOPA® KN333HB640BL  
KOPA® KN333HI  
KOPA® KN333HI2  
KOPA® KN333HI4  
KOPA® KN333HI5  
KOPA® KN333HR  
KOPA® KN333HRN  
KOPA® KN333HS  
KOPA® KN333MC  
KOPA® KN333MS  
KOPA® KN333MT30  
KOPA® KN333MT40

福利达塑胶为您提供各类塑胶原料的最新报价，助您了解最新的塑胶原料价格行情。如果您想了解塑胶原料的物性表、SGS 报告，FDA 认证报告，UL 黄卡，ROHS 认证报告，COA 原产地证明，原料 MSDS，环保检测证书，reach 认证报告，RAPIDS 证书以及相关的资料，请联系我们！

联系人：张生 13751212127

电话：0769-87799299

传真：0769-87792008

工作 QQ：179538752

MSN: [fusheng8899@hotmail.com](mailto:fusheng8899@hotmail.com)

E-mail: [sales@fldsj.com](mailto:sales@fldsj.com)

销售热线：13751212127 张生 工作 QQ：179538752 E-MAIL: [sales@fldsj.com](mailto:sales@fldsj.com) 联系电话：0769-87799299

公司网站: [www.flds.com](http://www.flds.com)

销售热线: 13751212127 张生 工作 QQ: 179538752 E-MAIL: [sales@flds.com](mailto:sales@flds.com) 联系电话: 0769-87799299