



东莞福利达塑胶原料商行  
DONGGUAN FULIDA PLASTIC MATERIAL BUSINESS

地址：东莞市樟木头镇塑胶原料市场三期中心城F28号

电话：0769-87799299

传真：0769-87792008

网址：<http://www.fldsjs.com>

电子邮箱：[sales@fldsj.com](mailto:sales@fldsj.com)

## 塑胶原料供应：超声波可焊接二硫化钼润 MOS2 滑 耐磨级尼龙（PA）66

Therma-Tech™ NN-3000 TC

Therma-Tech™ NN-5000C TC

Therma-Tech™ NNC-5000 TC

Therma-Tech™ NNXC-5000 TC Natural

ThermoStran® PA66-30G

ThermoStran® PA66-40G

ThermoStran® PA66-50G

Thermylon® LSG-440A

Thermylon® LSG-440A-H

Tislamid 66 PA 66 FR Vo

Tislamid 66 PA 66 GFR 15

Tislamid 66 PA 66 GFR 25

Tislamid 66 PA 66 GFR 33

Tislamid 66 PA 66 MNF 20

Tislamid 66 PA 66 MNF 30

Tislamid 66 PA 66 MNF 40

Tislamid 66 PA 66 UNR

TOYOBO Nylon T-656E (Cond)

TOYOBO Nylon T-656E (Dry)

TOYOBO Nylon T-661 (Cond)

TOYOBO Nylon T-661 (Dry)

TOYOBO Nylon T-662 (Cond)

TOYOBO Nylon T-662 (Dry)

TOYOBO Nylon T-663G15 (Cond)

TOYOBO Nylon T-663G15 (Dry)

TOYOBO Nylon T-663G30 (Cond)

TOYOBO Nylon T-663G30 (Dry)

TOYOBO Nylon T-663G50 (Cond)

TOYOBO Nylon T-663G50 (Dry)

TOYOBO Nylon T-665C30 (Cond)

TOYOBO Nylon T-665C30 (Dry)

TOYOBO Nylon T-669VGB (Cond)

销售热线：13751212127 张生 工作QQ：179538752 E-MAIL：[sales@fldsj.com](mailto:sales@fldsj.com) 联系电话：0769-87799299

TOYOBO Nylon T-669VGB (Dry)  
TOYOBO Nylon TY-835TC (Cond)  
TOYOBO Nylon TY-835TC (Dry)  
TRIBOCOMP® PA6.6 CF10 TS2  
TRIBOCOMP® PA6.6 CF10 TS5  
TRIBOCOMP® PA6.6 GF20 TS0  
TRIBOCOMP® PA6.6 GF30 TS13 (Cond)  
TRIBOCOMP® PA6.6 GF30 TS13 (Dry)  
TRIBOCOMP® PA6.6 GF30 TS7 (Cond)  
TRIBOCOMP® PA6.6 GF30 TS7 (Dry)  
TRIBOCOMP® PA6.6 HV TS16 (Cond)  
TRIBOCOMP® PA6.6 HV TS16 (Dry)  
TRIBOCOMP® PA6.6 LGF30 TS13 (Cond)  
TRIBOCOMP® PA6.6 LGF30 TS13 (Dry)  
TRIBOCOMP® PA6.6 LGF50 TS13  
TRIBOCOMP® PA66 CF10 TS0  
TRIBOCOMP® PA66 CF15 TS2 (Cond)  
TRIBOCOMP® PA66 CF15 TS2 (Dry)  
TRIBOCOMP® PA66 CF15 TS2 U - 8300  
TRIBOCOMP® PA66 CF30 TS0 (Cond)  
TRIBOCOMP® PA66 CF30 TS0 (Dry)  
TRIBOCOMP® PA66 CF30 TS0 U 05-047-01  
TRIBOCOMP® PA66 GF20 TS4 (Cond)  
TRIBOCOMP® PA66 GF20 TS4 (Dry)  
TRIBOCOMP® PA66 GF30 TS0 (Cond)  
TRIBOCOMP® PA66 GF30 TS0 (Dry)  
TRIBOCOMP® PA66 GF30 TS3 (Cond)  
TRIBOCOMP® PA66 GF30 TS3 (Dry)  
TRIBOCOMP® PA66 GF30 TS5  
TRIBOCOMP® PA66 GF40 TS0  
TRIBOCOMP® PA66 GF40 TS3 (Cond)  
TRIBOCOMP® PA66 GF40 TS3 (Dry)  
TRIBOCOMP® PA66 GF40 TS3 N  
TRIBOCOMP® PA66 GF40 TS5 (Cond)  
TRIBOCOMP® PA66 GF40 TS5 (Dry)  
TRIBOCOMP® PA66 GF40 TS5 N  
TRIBOCOMP® PA66 GK30 TS6 N 05-043-01  
TRIBOCOMP® PA66 LGF15 TS4 (Cond)  
TRIBOCOMP® PA66 LGF15 TS4 (Dry)  
TRIBOCOMP® PA66 LGF30 TS0 (Cond)  
TRIBOCOMP® PA66 LGF30 TS0 (Dry)  
TRIBOCOMP® PA66 LGF45 TS0 (Cond)  
TRIBOCOMP® PA66 LGF45 TS0 (Dry)  
TRIBOCOMP® PA66 TS0 (Cond)  
TRIBOCOMP® PA66 TS0 (Dry)  
TRIBOCOMP® PA66 TS5 (Cond)

销售热线: 13751212127 张生 工作 QQ: 179538752 E-MAIL: [sales@fldsj.com](mailto:sales@fldsj.com) 联系电话: 0769-87799299

TRIBOCOMP® PA66 TS5 (Dry)  
TRIBOCOMP® PA66 TS7 (Cond)  
TRIBOCOMP® PA66 TS7 (Dry)  
TRIBOCOMP® PA66 TS8 U 05-026-04  
TRIBOCOMP® PA66 TS9 N 04-009-03  
TRIMID N66-100HL  
TRIMID N66-100L  
TRIMID N66-100NL  
TRIMID N66-1010  
TRIMID N66-1010L  
TRIMID N66-G13  
TRIMID N66-G13HL  
TRIMID N66-G13L  
TRIMID N66-G13LU  
TRIMID N66-G33  
TRIMID N66-G33HL  
TRIMID N66-G33L  
TRIMID N66-G43HL  
TRIMID N66-G43L  
TRIMID N66-S100HL-BK  
TRIMID N66-S100L  
TRIMID N66-SG33-BK  
TRIMID N66-T100  
TRIMID N66-T100HL  
TYLON® 135  
TYLON® 135L  
TYLON® 1413  
TYLON® 1413L  
TYLON® 1433  
TYLON® 1433L  
TYLON® 835  
TYLON® 835L  
TYLON® 8433  
TYLON® 8433L  
Ultramid® 1000-11 NF2001 (Cond)  
Ultramid® 1000-11 NF2001 (Dry)  
Ultramid® 1000-2 NF2001 (Cond)  
Ultramid® 1000-2 NF2001 (Dry)  
Ultramid® 1003-2 NF2002 (Cond)  
Ultramid® 1003-2 NF2002 (Dry)  
Ultramid® 1310-11 NF2001 (Cond)  
Ultramid® 1310-11 NF2001 (Dry)  
Ultramid® 1403-2 BK ND3007 (Cond)  
Ultramid® 1403-2 BK ND3007 (Dry)  
Ultramid® 1403-2 NF3001 (Cond)  
Ultramid® 1403-2 NF3001 (Dry)

销售热线: 13751212127 张生 工作 QQ: 179538752 E-MAIL: [sales@fldsj.com](mailto:sales@fldsj.com) 联系电话: 0769-87799299

Ultramid® 1503-2 BK ND3007 (Cond)  
Ultramid® 1503-2 BK ND3007 (Dry)  
Ultramid® 1503-2 NF2004 (Cond)  
Ultramid® 1503-2 NF2004 (Dry)  
Ultramid® 1603-2 NF2004 (Cond)  
Ultramid® 1603-2 NF2004 (Dry)  
Ultramid® 1703-2 BK ND3007 (Cond)  
Ultramid® 1703-2 BK ND3007 (Dry)  
Ultramid® 7423-2 NF3001 (Cond)  
Ultramid® 7423-2 NF3001 (Dry)  
Ultramid® 7523-2AM BK ND3007 (Cond)  
Ultramid® 7523-2AM BK ND3007 (Dry)  
Ultramid® A 25 LD 01  
Ultramid® A 27 E 01  
Ultramid® A 27 EZ 01  
Ultramid® A 34 01  
Ultramid® A 3EG10 (Cond)  
Ultramid® A 3EG10 (Dry)  
Ultramid® A 3EG3 (Cond)  
Ultramid® A 3EG3 (Dry)  
Ultramid® A 3EG3 BK00564  
Ultramid® A 3EG5 (Cond)  
Ultramid® A 3EG5 (Dry)  
Ultramid® A 3EG6 (Cond)  
Ultramid® A 3EG6 (Dry)  
Ultramid® A 3EG7 (Cond)  
Ultramid® A 3EG7 (Dry)  
Ultramid® A 3EG7 BK00564  
Ultramid® A 3EG7 BK23189  
Ultramid® A 3HG2 (Cond)  
Ultramid® A 3HG2 (Dry)  
Ultramid® A 3HG5 (Cond)  
Ultramid® A 3HG5 (Dry)  
Ultramid® A 3HG5 BK00564  
Ultramid® A 3HG6 HR BK23591 (Cond)  
Ultramid® A 3HG6 HR BK23591 (Dry)  
Ultramid® A 3HG7 (Cond)  
Ultramid® A 3HG7 (Dry)  
Ultramid® A 3K (Cond)  
Ultramid® A 3K (Dry)  
Ultramid® A 3K BK00464  
Ultramid® A 3L HP  
Ultramid® A 3L HP BK20465  
Ultramid® A 3SK (Cond)  
Ultramid® A 3SK (Dry)  
Ultramid® A 3W (Cond)

Ultramid® A 3W (Dry)  
Ultramid® A 3W BK00464  
Ultramid® A 3W Q601  
Ultramid® A 3WG10 (Cond)  
Ultramid® A 3WG10 (Dry)  
Ultramid® A 3WG10 BK00564  
Ultramid® A 3WG3 (Cond)  
Ultramid® A 3WG3 (Dry)  
Ultramid® A 3WG3 BK00564  
Ultramid® A 3WG5 (Cond)  
Ultramid® A 3WG5 (Dry)  
Ultramid® A 3WG5 BK00564  
Ultramid® A 3WG6 (Cond)  
Ultramid® A 3WG6 (Dry)  
Ultramid® A 3WG6 BK00564  
Ultramid® A 3WG7 (Cond)  
Ultramid® A 3WG7 (Dry)  
Ultramid® A 3WG7 BK00564  
Ultramid® A 3WG7 BK23210  
Ultramid® A 3WGM53 BK20560 (Cond)  
Ultramid® A 3WGM53 BK20560 (Dry)  
Ultramid® A 3X2G10 (Cond)  
Ultramid® A 3X2G10 (Dry)  
Ultramid® A 3X2G5 (Cond)  
Ultramid® A 3X2G5 (Dry)  
Ultramid® A 3X2G5 BK23187  
Ultramid® A 3X2G7 (Cond)  
Ultramid® A 3X2G7 (Dry)  
Ultramid® A 3X3G5 (Cond)  
Ultramid® A 3X3G5 (Dry)  
Ultramid® A 3XZG5 (Cond)  
Ultramid® A 3XZG5 (Dry)  
Ultramid® A 3Z (Cond)  
Ultramid® A 3Z (Dry)  
Ultramid® A 3Z HP  
Ultramid® A 3Z HP BK20465  
Ultramid® A 3Z HP UV  
Ultramid® A 3Z HP UV BK23220  
Ultramid® A 3ZG3 BK20560  
Ultramid® A 3ZG6 BK20591 (Cond)  
Ultramid® A 3ZG6 BK20591 (Dry)  
Ultramid® A 4H (Cond)  
Ultramid® A 4H (Dry)  
Ultramid® N-265 NF3001  
Ultramid® N-276 NF3001  
Ultramid® N-322

销售热线: 13751212127 张生 工作 QQ: 179538752 E-MAIL: [sales@fldsj.com](mailto:sales@fldsj.com) 联系电话: 0769-87799299

Ultramid® N-333 NF3001  
Ultramid® NBX-0025 NF2001 (Cond)  
Ultramid® NBX-0025 NF2001 (Dry)  
Ultramid® NFX-0102 NF2004  
UNITIKA Nylon 66 A125 (Cond)  
UNITIKA Nylon 66 A125 (Dry)  
UNITIKA Nylon 66 A175G15 (Cond)  
UNITIKA Nylon 66 A175G15 (Dry)  
UNITIKA Nylon 66 B2040G33 (Cond)  
UNITIKA Nylon 66 B2040G33 (Dry)  
UNITIKA Nylon 66 B2040G50 (Cond)  
UNITIKA Nylon 66 B2040G50 (Dry)  
UNITIKA Nylon 66 BV2120 (Cond)  
UNITIKA Nylon 66 BV2120 (Dry)  
UNITIKA Nylon 66 BV2120G15 (Cond)  
UNITIKA Nylon 66 BV2120G15 (Dry)  
UNITIKA Nylon 66 BV2120G30 (Cond)  
UNITIKA Nylon 66 BV2120G30 (Dry)  
UNITIKA Nylon 66 E-RUNG60 (Cond)  
UNITIKA Nylon 66 E-RUNG60 (Dry)  
UNITIKA Nylon 66 ET2025 (Cond)  
UNITIKA Nylon 66 ET2025 (Dry)  
WELLAMID® EcoLon® 2200-BK1  
WELLAMID® EcoLon® MR1660-BK  
WELLAMID® EcoLon® MR1660-BK1  
WELLAMID® EcoLon® MRGF1518-BK  
WELLAMID® EcoLon® MRGF1518-BK3  
WELLAMID® EcoLon® MRGF1619-BK3  
WELLAMID® EcoLon® MRGF1619-BK5  
WELLAMID® EcoLon® MRGF1619-WBK1  
WELLAMID® EcoLon® MRGF1914-BK1  
Wondel® A AG3  
Wondel® A AG5T  
Wondel® A AG6  
Wondel® A AG6I  
Wondel® A AH0  
Wondel® A AM3  
Wondel® A AM3G3  
Wondel® A AN0F  
Wondel® A AR0  
Wondel® A AR0G5  
Wondel® A AR0G6  
Zhongfa PA66 66G30  
Zhongfa PA66 MC66FR  
Zhongfa PA66 MC66G25FR  
Zhongfa PA66 ST-06

销售热线: 13751212127 张生 工作 QQ: 179538752 E-MAIL: [sales@fldsj.com](mailto:sales@fldsj.com) 联系电话: 0769-87799299

Zhongfa PA66 ST-12  
Zhongfa PA66 ST-24  
DINALON® C1S25  
DuPont™ Zytel® 72G33W NC010 (Dry)  
DuPont™ Zytel® FR7280V0 BK031 (Dry)  
Elastoblend® PA6/6,6 IM 6040 MB  
Elastoblend® PA6/6,6 IM3 BK  
Electrafil® M-1322  
FRIANYL C73 GV15  
FRIANYL C73 GV30  
FRIANYL C73 GV40  
FRIANYL C73 H-GV15  
FRIANYL C73 H-GV30  
FRIANYL C73 HS28  
FRIANYL C73 HSGV30  
FRIANYL C73 MG40  
FRIANYL C73 MHS3005  
FRIANYL C73 S10  
FRIANYL C73 T  
FRIANYL C73 TFGV1530  
Schulamid® 66/6GF 33  
Schulamid® 66/6GF 33H  
TAROMID A 260  
TAROMID A 260 S  
TAROMID A 260 Y0  
TECHNYL® B 216 (Cond)  
TECHNYL® B 216 (Dry)  
TECHNYL® B 216 V20 (Cond)  
TECHNYL® B 216 V20 (Dry)  
TECHNYL® B 216 V30 (Cond)  
TECHNYL® B 216 V30 (Dry)  
TECHNYL® B 216 V40 BROWN 105 (Cond)  
TECHNYL® B 216 V40 BROWN 105 (Dry)  
TECHNYL® B 218 MT25 V15 (Cond)  
TECHNYL® B 218 MT25 V15 (Dry)  
TECHNYL® B 218 MX30 BLACK 21 N (Cond)  
TECHNYL® B 218 MX30 BLACK 21 N (Dry)  
TECHNYL® B 218 V30 BLACK 21 N (Cond)  
TECHNYL® B 218 V30 BLACK 21 N (Dry)  
TECHNYL® B 218L V20 BLACK 44 N (Cond)  
TECHNYL® B 218L V20 BLACK 44 N (Dry)  
TECHNYL® B 218L V30 BLACK 44 N (Cond)  
TECHNYL® B 218L V30 BLACK 44 N (Dry)  
TECHNYL® B 230 (Cond)  
TECHNYL® B 230 (Dry)  
TECHNYL® B 238 BLACK 21 N (Cond)

销售热线: 13751212127 张生 工作 QQ: 179538752 E-MAIL: [sales@fldsj.com](mailto:sales@fldsj.com) 联系电话: 0769-87799299

TECHNYL® B 238 BLACK 21 N (Dry)  
TECHNYL® B 50H1 NATURAL L (Cond)  
TECHNYL® B 50H1 NATURAL L (Dry)  
TECHNYL® B B 250 MT16 (Cond)  
TECHNYL® B B 250 MT16 (Dry)  
TECHNYL® FE 50221 AL (Cond)  
TECHNYL® FE 50221 AL (Dry)  
Tecomid NC NC40 NL E  
UBE Nylon 5021 T  
UBE Nylon 5033 B  
UBE Nylon 5033 FDX27  
UBE Nylon 5033 FDX57  
UBE Nylon 5033 TX7  
UBE Nylon 5034 B  
UBE Nylon 5034 C2  
UBE Nylon 5034 FDX17  
UBE Nylon 5034 FDX40  
UBE Nylon 5034 MTAX1  
UBE Nylon 5034 MTX1  
UBE Nylon 5034 TX18  
UBE Nylon 5034 UC2  
Ultramid® C 31 01  
Ultramid® C 33 01  
Ultramid® C 33L 01  
Ultramid® C 33LN 01  
Ultramid® C 3U (Cond)  
Ultramid® C 3U (Dry)  
Ultramid® C 3U BK23079  
Ultramid® C 40 L 01  
Ultramid® C 40LX 01  
Durethan® BKV 115 000000 (Cond)  
Durethan® BKV 115 000000 (Dry)  
Durethan® BKV 115 H1.0 000000 (Cond)  
Durethan® BKV 115 H1.0 000000 (Dry)  
Durethan® BKV 115 H2.0 901510 (Cond)  
Durethan® BKV 115 H2.0 901510 (Dry)  
Durethan® BKV 130 000000 (Cond)  
Durethan® BKV 130 000000 (Dry)  
Durethan® BKV 130 GIT 900116 (Cond)  
Durethan® BKV 130 GIT 900116 (Dry)  
Durethan® BKV 130 H2.0 901510 (Cond)  
Durethan® BKV 130 H2.0 901510 (Dry)  
Durethan® BKV 130 H3.0 101006 (Cond)  
Durethan® BKV 130 H3.0 101006 (Dry)  
Durethan® BKV 140 000000 (Cond)  
Durethan® BKV 140 000000 (Dry)

销售热线: 13751212127 张生 工作 QQ: 179538752 E-MAIL: [sales@fldsj.com](mailto:sales@fldsj.com) 联系电话: 0769-87799299



Durethan® BKV 140 H2.0 900051 (Cond)  
Durethan® BKV 140 H2.0 900051 (Dry)  
Durethan® BKV 15 000000 (Cond)  
Durethan® BKV 15 000000 (Dry)  
Durethan® BKV 15 G H2.0 901510 (Cond)  
Durethan® BKV 15 G H2.0 901510 (Dry)  
Durethan® BKV 15 H1.0 000000 (Cond)  
Durethan® BKV 15 H1.0 000000 (Dry)  
Durethan® BKV 15 H2.0 901510 (Cond)  
Durethan® BKV 15 H2.0 901510 (Dry)  
Durethan® BKV 215 000000 (Cond)  
Durethan® BKV 215 000000 (Dry)  
Durethan® BKV 215 901510 (Cond)  
Durethan® BKV 215 901510 (Dry)  
Durethan® BKV 215 H2.0 901510 (Cond)  
Durethan® BKV 215 H2.0 901510 (Dry)  
Durethan® BKV 230 000000 (Cond)  
Durethan® BKV 230 000000 (Dry)  
Durethan® BKV 230 H1.0 000000 (Cond)  
Durethan® BKV 230 H1.0 000000 (Dry)  
Durethan® BKV 230 H2.0 901510 (Cond)  
Durethan® BKV 230 H2.0 901510 (Dry)  
Durethan® BKV 230 W1 000000 (Cond)  
Durethan® BKV 230 W1 000000 (Dry)  
Durethan® C 38 F (Cond)  
Durethan® C 38 F (Dry)  
Durethan® C 38 FA (Cond)  
Durethan® C 38 FA (Dry)  
Durethan® C 38 FKAM (Cond)  
Durethan® C 38 FKAM (Dry)  
Durethan® C 38 FKS (Cond)  
Durethan® C 38 FKS (Dry)  
Durethan® C 38 FY (Cond)  
Durethan® C 38 FY (Dry)  
Durethan® CI 31 F  
Durethan® DP BKV 240 H2.0 901510 (Cond)  
Durethan® DP BKV 240 H2.0 901510 (Dry)  
Ecomass® 1002ZC85  
Ecomass® 1002ZD93  
Ecomass® 1002ZD96  
Ecomass® 1003TU96  
Ecomass® 1007TU78  
Ecomass® 1007ZC85  
Ultramid® 1C (Cond)  
Ultramid® 1C (Dry)  
Capran® 526

Capran® 526  
Capran® 996  
Capran® 996  
Carbo-Rite™ C-1522  
Carbo-Rite™ C-1522  
DuPont™ Elvamide® 8023R  
DuPont™ Elvamide® 8061  
DuPont™ Elvamide® 8063  
DuPont™ Elvamide® 8066  
DuPont™ Zytel® 330 NC010 (Cond)  
DuPont™ Zytel® 330 NC010 (Dry)  
DuPont™ Zytel® 75CG30HSL BK409 (Cond)  
DuPont™ Zytel® 75CG30HSL BK409 (Dry)  
Durethan® T 40 000000 (Cond)  
Durethan® T 40 000000 (Dry)  
Durethan® T 40 ZS 000000 (Cond)  
Durethan® T 40 ZS 000000 (Dry)  
Duron FR 950  
Ecomass® 1050CO94  
Ecomass® 1050TU96  
Ecomass® 1050ZB92  
Ecomass® 1066ZD96  
Ecomass® 1080BI64  
Ecomass® 1080TU96  
Ecomass® 1080ZB92  
Ecomass® 1080ZD94  
Ecomass® 1080ZD96  
Ecomass® 1080ZG90  
Electrablend® TPX-HTN-01045 A  
Electrafil® M-1526/EC  
Elvamide® 8023R  
Elvamide® 8061  
Elvamide® 8063  
Elvamide® 8066  
Epimax™ 253GI  
Epitec™ 200  
Epitec™ 210ST  
Epitec™ 253G  
Epitec™ 254GM  
FACTOR® Advanced PA LGF40 EP (Cond)  
FACTOR® Advanced PA LGF40 EP (Dry)  
FACTOR® Advanced PA LGF50 EP (Cond)  
FACTOR® Advanced PA LGF50 EP (Dry)  
FACTOR® Advanced PA LGF60 EP (Cond)  
FACTOR® Advanced PA LGF60 EP (Dry)  
Fiberfil® M-2494 BK

FORMPOLY NP8020  
Schulamid® M20HS  
Schulamid® N910-01  
Selar® PA 2020  
Selar® PA 2021  
Selar® PA 3426  
Selar® PA 3426 + 20% PA6 Blend  
Selar® PA 3426 + 50% PA6 Blend  
Selar® PA 3426 + 70% PA6 Blend  
Selar® PA 3426 + 80% PA6 Blend  
Selar® PA 3508  
Selar® PA UX2033  
Sniamid ASN 27/185 SR KNF  
Sniamid ASN 27/400 SR KNF  
Sniamid C 206  
Sniamid C 216  
Sniamid C 216 V18  
Sniamid C 216 V40  
Sniamid C 218 V50  
Sniamid SSD  
Sniamid SSD 250 KNF  
Sniamid SSD 300 KNF  
Sniamid SSD 350 KNF  
Sniamid SSD 380 EPR KNF  
Sniamid SSD APQ 250 KNF  
Sniamid SSD KNF  
TECHNYL STAR™ S 216 V30 (Cond)  
TECHNYL STAR™ S 216 V30 (Dry)  
TECHNYL STAR™ S 218 L1 V30 BLACK 1 N (Cond)  
TECHNYL STAR™ S 218 L1 V30 BLACK 1 N (Dry)  
TECHNYL STAR™ S 218 MT 40 BLACK 23 N (Cond)  
TECHNYL STAR™ S 218 MT 40 BLACK 23 N (Dry)  
TECHNYL STAR™ S 218 V30 BLACK 31 N (Cond)  
TECHNYL STAR™ S 218 V30 BLACK 31 N (Dry)  
TECHNYL STAR™ S 218 V35 (Cond)  
TECHNYL STAR™ S 218 V35 (Dry)  
TECHNYL STAR™ S 246 V30 Black 31N  
TECHNYL STAR™ S 246 V35  
TECHNYL STAR™ S 52X1 MV50  
TECHNYL STAR™ SX 218 L1 V50 BLACK 1 N (Cond)  
TECHNYL STAR™ SX 218 L1 V50 BLACK 1 N (Dry)  
TECHNYL STAR™ SX 218 V60 BLACK Z (Cond)  
TECHNYL STAR™ SX 218 V60 BLACK Z (Dry)  
TECHNYL STAR™ SX218 V60 NOIR Z (Dry)  
TECHNYL STAR™ SX218 V60 NOIR Z( Cond)  
TECHNYL® A 218 V33

销售热线: 13751212127 张生 工作 QQ: 179538752 E-MAIL: [sales@fldsj.com](mailto:sales@fldsj.com) 联系电话: 0769-87799299

TECHNYL® FORCE S 218 LGF30 BLACK 31N (Cond)  
TECHNYL® FORCE S 218 LGF30 BLACK 31N (Dry)  
TECHNYL® FORCE S 218 LGF40 BLACK 31 N (Cond)  
TECHNYL® FORCE S 218 LGF40 BLACK 31 N (Dry)  
TECHNYL® FORCE SX 218 LGF50 BLACK 31N (Cond)  
TECHNYL® FORCE SX 218 LGF50 BLACK 31N (Dry)  
TECHNYL® FORCE SX 218 LGF60 BLACK 31N (Cond)  
TECHNYL® FORCE SX 218 LGF60 BLACK 31N (Dry)  
TECHNYL® PSB 169(Cond)  
TECHNYL® PSB 169(Dry)  
TECHNYL® PSB 189 (Cond)  
TECHNYL® PSB 189 (Dry)  
TECNOLOY BP 20 W MT2  
Tosaf GF6820PAK  
TOYOBO Nylon NB-1700 (Cond)  
TOYOBO Nylon NB-1700 (Dry)  
TOYOBO Nylon NB-5550 (Cond)  
TOYOBO Nylon NB-5550 (Dry)  
TOYOBO Nylon NB-5620S (Cond)  
TOYOBO Nylon NB-5620S (Dry)  
TOYOBO Nylon T-714E (Cond)  
TOYOBO Nylon T-714E (Dry)  
Trogamid CX7323 nf  
Trogamid CX9701 nf  
UTTAP Q 5415 GF  
UTTAP QU BM513 GF  
UTTAP QU HT530 GF  
WELLAMID® EcoLon® 2000-BK1  
WELLAMID® EcoLon® 2100-BK1  
DENIBLEND 0052  
DUCTEL® AP100 (Cond)  
DUCTEL® AP100 (Dry)  
Schulablend® GF 30  
TEREZ PA/PP 7110/5  
TEREZ PA/PP 7500 GF 35/2  
TEREZ PA/PP 7500 GF 35/3  
TEREZ PA/PP 7500 GF 40  
TEREZ PA/PP 7500 GF 50  
TEREZ PA/PP 7500 GF 7  
TEREZ PA/PP 7810/1 HI  
Duron PPE/PA 810  
Duron PPE/PA 820  
Duron PPE/PA 830  
EnCom GF30 PPE-PA  
EnCom GPTF30 PPE-PA  
EnCom PA/PPE2030GF BK43001

EnCom PA/PPE290  
EnCom PPE-PA 2030GF BK43001  
EnCom PPE-PA 290  
Xyron® A0100  
Xyron® A0210  
Xyron® A0501  
Xyron® A1400  
Xyron® AG114  
Xyron® AG115  
Xyron® AG211  
Xyron® AG212  
Xyron® AG213  
Xyron® AG511  
Xyron® AG512  
Xyron® AT600  
Xyron® AT602  
Xyron® AT610  
Xyron® AW213  
Xyron® G010H  
Xyron® G010Z  
Xyron® G020H  
Xyron® G020Z  
Xyron® VM302  
Xyron® VN20H  
Xyron® VT302  
Xyron® X0100  
Xyron® X1400  
Xyron® X5402  
Xyron® X5403  
Xyron® X8400  
Xyron® X8600  
Xyron® X9830

福利达塑胶为您提供各类塑胶原料的最新报价，助您了解最新的塑胶原料价格行情。如果您想了解塑胶原料的物性表、SGS 报告，FDA 认证报告，UL 黄卡，ROHS 认证报告，COA 原产地证明，原料 MSDS，环保检测证书，reach 认证报告，RAPIDS 证书以及相关的资料，请联系我们！

联系人：张生 13751212127

电话：0769-87799299

传真：0769-87792008

工作 QQ：179538752

MSN：[fusheng8899@hotmail.com](mailto:fusheng8899@hotmail.com)

E-mail：[sales@fldsj.com](mailto:sales@fldsj.com)

公司网站：[www.fldsj.com](http://www.fldsj.com)

销售热线：13751212127 张生 工作 QQ：179538752 E-MAIL：[sales@fldsj.com](mailto:sales@fldsj.com) 联系电话：0769-87799299